Brownsboro (continued)

The Bander's Corner

In our opinions the most interesting catches of the year included a Black Skimmer at Dauphin Island; Black-billed Cuckoo, Whip-poor-wills, Least Flycatchers, Philadelphia Vireos, Connecticut Warbler and Wilson's Warbler at Brownsboro.

### BIRMINGHAM

In 1962 I established a banding station on my property on Pike Road in Ensley, Birmingham, where I moved in December 1961. During 1962 I banded 528 birds of 61 species. I now operate up to 8 nets and 8 traps and now that I've banded in the same locality for a year, I am beginning to get returns and to find out who my steady customers are. Outside of Birmingham, I banded 80 birds on Dauphin Island during the Fall A.O.S. meeting. The following species were banded in greatest numbers: Whitethroat, 105; Cardinal, 51, Robin, 46; Towhee, 41; Savannah Sparrow, 34; Brown Thrasher, 24; Catbird, 23; Myrtle Warbler, 23; Field Sparrow, 19; Mockingbird, 17; Starling, 10; and White-eyed Vireo, 10. This total included a Screech Owl, 3 species of Empidonax and 73 Warblers of 19 species. I obtained 20 returns (birds recaptured at the same place after 90 or more days) but no bird more than a year from original banding because my station has not been operating long enough: Cardinal, 3; Towhee, 6; Whitethroat, 4; Field Sparrow, 3; Blue Jay, 1; Carolina Chickadee, 1; Carolina Wren, 1; Catbird, 1.

On November 3, 1962, James T. Aycock of Center Point (suburban Birmingham) visited his hunting lodge in Greene County 16 miles north of Eutaw and found a dead and dehydrated Black-throated Green Warbler with a band on it. Banding headquarters informs us that the bird was banded by Karl Bartel at Blue Island (suburban Chicago), Illinois on September 30, 1962. The condition of the bird indicated that it had been dead at least a week and apparently made the trip from Chicago in less than a month! (In 1948 a banded Myrtle Warbler made the trip from the Chicago area to Birmingham in 23 days!) On January 31, 1963 at Roberts Field, Birmingham, I caught a Savannah Sparrow that I had banded on November 22, 1958, over 4 years and 2 months earlier!

Tom Imhof

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

An adult Harlan's Hawk was collected on November 27, 1962 at Geiger, Sumpter County. This is, apparently, the first Harlan's specimen for Alabama.

Bob Skinner

# 1962 CHRISTMAS BIRD COUNTS

## AUBURN, ALABAMA

Tufted Titmouse

The Christmas Bird Count was made at Auburn, Ala., December 20, 1962. The center of the 15 mile diameter circle was the Auburn Post Office. Composition of the area: mixed woods, 50%; pastures and open field, 30%; water and mud flats, 20%; Weather was clear. Temperature varied from 34 to 52 degrees F. Winds, 5-10 mph, westerly. 22 observers making 8 partial trips spent 51 party hours, drove 171 miles, walked 25 miles, by boat 3 miles.

3 miles.				, ,
The following species	and	numb	ers were seen:	
Pied-billed Grebe		4	Red-breasted Nuthatc	h 2
Great Blue Heron		4	Brown-headed Nuthatc	h 46
Common Egret		ı	Brown Creeper	
Mallard		2	House Wren	
Wood Duck		4	Winter Wren	ָד <u></u>
Ring-necked Duck			Bewick's Wren	1 1 2
Hooded Merganser		2	Carolina Wren	47
Turkey Vulture		21		85
Black Vulture		127	Brown Thrasher	19
Cooper's Hawk		1	Robin	139
Red-tailed Hawk		9	Hermit Thrush	8
Red-shouldered Hawk		3	Eastern Bluebird	61
Marsh Hawk		1	Blue-gray Gnatcatche:	r 1
Sparrow Hawk		11	Golden-crowned Kingle	
Bobwhite		31	Ruby-crowned Kinglet	168
Coot		25	Water Pipit	21
Killdeer		39	Cedar Waxwing	313
Woodcock		i	Loggerhead Shrike	25
Common Snipe		16	Starling	30,000
Mourning Dove		57	Blue-headed Vireo	1
Barn Owl		ı	Orange-crowned Warble	
Great Horned Owl		ı	Myrtle Warbler	68
Barred Owl		ı	Pine Warbler	26
Belted Kingfisher		2	Palm Warbler	1
Yellow-shafted Flicker		38	House Sparrow	116
Pileated Woodpecker		2	Eastern Meadowlark	176
Red-bellied Woodpecker		21	Red-winged Blackbird	
Red-headed Woodpecker		4	Rusty Blackbird	30,000
Yellow-bellied Sapsucker		7	Brewer's Blackbird	100
Hairy Woodpecker		5	Common Grackle	270,000
Downy Woodpecker		19	Cowbird	30,000
Phoebe		10	Cardinal	203
Blue Jay		89	Purple Finch	17
Common Crow		58	American Goldfinch	138
Carolina Chickadee		77	Rufous-sided Towhee	107
M. AL. 3 M31		00	a	

29 Savannah Sparrow

23

208

706

316

416

230

381

223

14

536

68

300

778

195

339

2

92

50

64

38

Birmingham Christmas Bird Count (continued)

Dan C. Holliman, Joseph A. Imhof, Thomas A. Imhof (Compiler), Clustie McTyeire, Margarette Persons, Elberta G. Reid, Robert R. Reid, M. F. Prather, Alfred A. Walker, III, Adele West, Eugene M. West. (Birmingham Audubon Society and guests.)

# MARION, ALABAMA (Perry County)

All points within a 15-mile diameter circle, center Court House in Marion, including U.S. Fish Cultural Station, drainage and swampland Cahaba River, Marion Cemetery and Lakeland Farms.

Deciduous woods 20%, open fields and pastures 20%, swamps and marshes 20%, farmyards, cemetery and home yards 10%, lakes, ponds, streams, river and shores 50%. December 31: 7:15 a.m. 59 5:30 p.m.—Clear—Temperature 27 to 50 degrees. Wind SW-NE 5-15 mph; Heavy frost, ground frozen in shade, ice in shade. 3 observers in 1-2 parties. Total party hours 11. (8 on foot, 3 by car). Total party miles 54 (10 on foot, 44 by car).

6	E. Bluebird	23
19	B. Gray Gnatcatcher	2
		2
4		26
		236
		14
1		26
		75
	, -	ĺí
6		ī
1		530
		7
148	House Sparrow	415
154		332
1	Eastern Redwing	60
10	Rusty Blackbird	22
52	Brewer's Blackbird	13
11	Purple Grackle	ì
15	Brown-headed Cowbird	25
21	Cardinal	57
12	Goldfinch	39
5	Rufous-s Towhee	23
5	Savannah Sparrow	55
l	Vesper Sparrow	10
2		4
9	Slate-colored Junco	41
		10
- 24	Field Sparrow	78
	19 1 4 25 1 1 95 1 6 1 2 8 1 1 5 2 1 2 9 1 6 0 1 2 8 1 5 5 1 2 9 1 6 0	19 B.Gray Gnatcatcher 1 Golden-crowned Kinglet 4 Ruby-crowned Kinglet 25 Water Pipit 1 Cedar Waxwing 1 Loggerhead Shrike 95 Starling 1 Orange-cr. Warbler 6 Magnolia Warbler (Dean) 1 Myrtle Warbler 12 Pine Warbler 12 Pine Warbler 148 House Sparrow 154 Eastern Meadowlark 1 Eastern Redwing 10 Rusty Blackbird 52 Brewer's Blackbird 51 Purple Grackle 15 Brown-headed Cowbird 21 Cardinal 12 Goldfinch 5 Rufous-s Towhee 5 Savannah Sparrow 1 Vesper Sparrow 2 Pine-w. Sparrow 9 Slate-colored Junco 160 Chipping Sparrow

Marion Christmas Bird Count (continued)

Common Crow	18	White-thr. Sparrow	347
Carolina Chickadee	27	Fox Sparrow	1
Tufted Titmouse	9	Lincoln's Sparrow	2
Winter Wren	2	Swamp Sparrow	83
Bewick's Wren	1	Song Sparrow	126
Carolina Wren	27		
Mockingbird	34	TOTAL SPECIES	73
Brown Thrasher	13		
Am. Robin	99	TOTAL INDIVIDUALS	3722
Hermit Thrush	8		
Observers: Blanche E. Dean	, Chr	istine Leake, Lois McCul	lough.

DAUPHIN ISLAND, ALA.

Lois McCullough, compiler.

15 mile diameter circle centered on southern tip of Mon Luis Isle, including Cedar Point, Coden, Bayou La Batre, Bellingrath Gardens, all but westermost 4 miles of Dauphin Island, pine - hardwoods, 33%; mud, sand, and shell flats, 17%; pine woods, 14%; salt water, 13%; salt marsh, 12%; farms and towns, 8%; fresh ponds and marsh, 3%.

December 29, 1962, 6:00 A.M. to 6:00 P.M. Cloudy and raining A.M. - clear P.M. NW wind 18-25 mph. 18 observers in 7 parties.

Common Loon 5 Red-shldrd. Hawk	1
Horned Grebe 11 Broad-winged Hawk	1
Pied-billed Grebe 10 Marsh Hawk	3
Double-cr Cormorant 77 Sparrow Hawk	20
Great Blue Heron 6 Bobwhite	16
Common Egret 5 R H Pheasants	
Snowy Egret 4 King Rail	3 1
7	5
Blue Goose 6 Clapper Rail Wirginia Rail	
Mallard 14 American Coot	1
1110120011 0000	2
	25
	3
	40
Wood Duck 3 Killdeer	3
Greater Scaup 40 Black-b. Plover	75
Lesser Scaup 55 Ruddy Turnstone	17
Am. Goldeneye 4 Am. Woodcock	4
Ruddy Duck 4 Common Snipe	4
Hooded Merganser 2 Spotted Sandpiper	ĺ
Red-br. Merganser 6 Willet	18
Turkey Vulture 3 Greater Yellowlegs	2
Sharp-shinned Hawk 1 Lesser Yellowlegs	1
Red-tailed Hawk 7 Teast Sandainer	~

# Dauphin Island Christmas Bird Count (continued)

Red-b. S. Dunlin	53	Sedge Wren	1	
Eastern Dowitcher		Mockingbird	74	
Semipalm Sandpiper	78	Catbird	16	
Wastern Sandpiper		Brown Thrasher	33	
Sanderling	37			plus
Herring Gull		plus)Hermit Thrush	.6	prus
Ring-billed Gull	154`	Eastern Bluebird	17	
Laughing Gull	82		12	
Bonaparte's Gull	6		45	
Forster's Tern	3	Water Pipit	1	
Common Tern	60	Cedar Waxwing	29	
Royal Tern	51		26	,
Caspian Tern	7	Starling	52	
Black Skimmer	1	Solitary Vireo	î	
Mourning Dove	98	Orange-cr. Warbler	9	
White-w. Dove	2	Myrtle Warbler	<b>3</b> 26	
Belted Kingfisher	25	Yellow-throated Warble		
Yellow-s. Flicker		Pine Warbler	37	
Red-bellied Woodpecker	. 9	Palm Warbler	9	
Red-headed Woodpecker		Yellowthroat	Ź	
Yellow-bellied Sapsucker	7	House Sparrow	63	
Hairy Woodpecker	2	Eastern Meadowlark	<b>38</b> 0	
Downs Woodpecker	4	Eastern Redwing	4,445	
Eastenn Phoebe	10	Brewer's Blackbird	1	
Tree Swallow	206	Purple Grackle	39	
Rough-w. Swallow	2	Brhd. Cowbird	12	
Blue Jay	52	Cardinal	66	
Common Crow	24	Purple Finch	2	
Fish Crow	4	Eastern Goldfinch	65	
Carolina Chickadee	· l	Rufous-sided Towhee	45	
Tufted Titmouse	22	Savannah Sparrow	3	
White-breasted Nuthatch	3	Sharp-t. Sparrow	13	
Brown-headed Nuthatch	53	Seaside Sparrow	9	
Brown Creeper	l,	Pine-w. Sparrow	2	
House Wren	9	Chipping Sparrow	8	
Winter Wren	2	Field Sparrow	20	
Bewick's Wren	1	White-throated Sparrow	435	
Carolina Wren	23	Swamp Sparrow	126	
Marsh Wren	1	Song Sparrow	6	
TOTAL Sprateo				

# TOTAL SPECIES 124 TOTAL INDIVIDUALS 9,616 plus Observers: Fr. Dorn (compiler) Mark Gailland Will and Class

Observers: Fr. Dorn (compiler), Mary Gaillard, Will and Clara Caffey, Henry and Lib Toenes, Tom Trawick, Joe Friedhoff, Blanche Chapman, Lee Ola Dewberry, Mildred Ferris, Lois McCullough, Max McGill, Mrs. Edith Peller, Harry and Kathleen Johnstone, Fairly Chandler, Wilson Gaillard.

## REGIONAL WING BEATS

## DECATUR, ALABAMA

The late fall and winter brought none of river floods that four times last winter covered all lowland, but did bring snow, sleet and shivery temperatures. On several occasions the thermometer hovered near or below the zero mark and ice-locked all local water except the main river channel and a few smoky springholes.

Wheeler Refuge's Canada goose count climbed week by week until it reached a record peak of over 46,500 in early January. The wavies leveled off with 800 blues and 70 snows present. Duck numbers were never spectacular and the top count was 47,000. Pintails, black ducks and ringnecks were especially numerous and redheads and ruddy ducks were noticeably rare. Due probably to the severe cold, golden-eyes and buffleheads were common, old squaws present and there were at least a few greater scaup around. One came into the hands of a local taxidermist, while David Hulse noted that another made the Decatur boat harbor its happy home from January 24th through February 3rd. During the latter days of the hunting season, a local youngster shot a mallard drake on the Swan Creek Hunting Area that may well be a record. This king-size papa, larger than some geese, tipped the scales at 5 lbs. 2 ounces. The small bird find of the winter came during the extreme cold of January 24th when David Hulse noted a flock of 10 or 12 Pine Siskins in trees near his home, a first local record. David also found a Gray-cheeked Thrush, always rare here, dead in his yard on December 31st. Purple Finches were reported around several of the bird feeders in the Decatur vicinity. The Iranian Pheasants, stocked by the State on Wheeler Refuge in early November, are still around.

At this writing few signs of a long-awaited spring are here, but there are a few. Goose, duck and crow numbers are dwind-ling as these birds move out of the Valley and waves of Pintails and Shovelers are already moving through.

Thomas Z. Atkeson February 14, 1963

## BIRMINGHAM, ALABAMA

In Birmingham, the outstanding weather events of the past 3 months were the record-breaking lows of 1 above zero on December 13 and 2 below zero on January 24. These lows were attended by below freezing for 3 to 5 mornings and about 48 hours of continuously freezing temperatures. How well the birds survived these severe spells may be a while in determining. Of course, we do know that birds move around a lot and we usually cannot prove conclusively that a bird seen after